PPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SEC	CTION I: BACKGROUND INFORMATION
	REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): October 12, 2007
В.	DISTRICT OFFICE, FILE NAME, AND NUMBER: Baltimore District Office, CENAB-OP-RPA (Danville Meadows Property/JD)200705878
C.	PROJECT LOCATION AND BACKGROUND INFORMATION: Danville Meadows Property stream and abutting wetlands in Danville, Northumberland County, Pennsylvania. State: Pennsylvania County/parish/borough: Northumberland City: Danville Center coordinates of site (lat/long in degree decimal format): Lat: 41.88333°N Long: -76.56667°E Name of nearest waterbody: Unnamed Tributary to Little Roaring Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Susquehanna River Name of watershed or Hydrologic Unit Code (HUC): 02050101: Upper Susquehanna River □ Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. □ Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): ☐ Office (Desk) Determination. Date: 09-25-07 ☐ Field Determination. Date(s): September 25, 2006
SEC A.	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	re Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the ew area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain:
B.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	re Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1 Waters of the U.S.

1. Waters of the U.S.

a.

Indicate presence of waters of U.S. in review area (check all that apply):
TNWs, including territorial seas
Wetlands adjacent to TNWs
Relatively permanent waters ² (RPWs) that flow directly or indirectly into TNWs
Non-RPWs that flow directly or indirectly into TNWs
Wetlands directly abutting RPWs that flow directly or indirectly into TNWs
Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs
Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
Impoundments of jurisdictional waters
Isolated (interstate or intrastate) waters, including isolated wetlands
Identify (artimeta) sine of motors of the IIC in the manion of the

b. Identify (estimate) size of waters of the U.S. in the review area:

Non-wetland waters: 1,880 linear feet: 5'width (ft) and/or acres.

Wetlands: Wetland A = 4.0 acres

c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual Elevation of established OHWM (if known):

2. Non-regulated waters/wetlands (check if applicable):³

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain:

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

2.	Wetland adjacent to TNW	
	Summarize rationale supporting determination: .	
1.	Identify TNW:	

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under Rapanos have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions: Watershed size: 5.94 square miles Drainage area: 74 acres Average annual rainfall: 45 inches Average annual snowfall: 51 inches

(ii) Physical Characteristics:

(a) Relationship with TNW: Tributary flows directly into TNW. Tributary flows through **Pick List** tributaries before entering TNW. Project waters are 2-5 river miles from TNW. Project waters are 1 (or less) river miles from RPW. Wetland A is the project waters. Project waters are 2-5 aerial (straight) miles from TNW. Project waters are 1 (or less) aerial (straight) miles from RPW. Wetland A is the project waters. Project waters cross or serve as state boundaries. Explain: N/A. Identify flow route to TNW⁵: Wetland A flows northwest through property channels that are mapped as Carpenter's Run which then flows southeast into the West Branch Susquehanna River.

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

	Tributary stream order, if known: First Order Stream.							
(b)	General Tributary Characteristics (check all that apply): Tributary is:							
	Tributary properties with respect to top of bank (estimate): Average width: 5 feet Average depth: 2 feet Average side slopes: 2:1							
	Primary tributary substrate composition (check all that apply): Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain:							
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: The streambanks are moderately eroded and streambed is slightly entrenched. There is good vegetation cover on the banks. Presence of run/riffle/pool complexes. Explain: none. Tributary geometry: Meandering Tributary gradient (approximate average slope): 7 %							
(c)	Flow: Tributary provides for: Seasonal flow (approx November through May) Estimate average number of flow events in review area/year: 6-10 Describe flow regime: Flow is low to none during dry months. Good flow during seasonal storm events, winter and spring. Other information on duration and volume: N/A.							
	Surface flow is: Confined Characteristics: This stream has defined bed and banks and does not appear to come out of its banks very frequently do to slight entrenchment and small drainage area.							
	Subsurface flow: Yes Explain findings: Three spring seeps were found while on-site. Seepage was observed from two of these seeps during a the September 24, 2007 site visit, which was during a very dry time of the year when we were at below average rainfall for the year. The subsurface flow appears to be a significant source of hydrology to the stream. Due (or other) test performed: No test was performed.							
	Tributary has (check all that apply): Bed and banks OHWM ⁶ (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition water staining other (list): Discontinuous OHWM. Explain:							
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): High Tide Line indicated by: oil or scum line along shore objects fine shell or debris deposits (foreshore) physical markings/characteristics physical markings/characteristics other (list): Mean High Water Mark indicated by: survey to available datum; physical markings; vegetation lines/changes in vegetation types.							

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

Thid.

(iii) Chemical Characteristics:

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: Rural, headwater channel. Water is clear, watershed contains scattered residential and ag development. Identify specific pollutants, if known: Roadway runoff, fertilizer, and pesticides, etc.

	gical Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): predominantly emergent and scrub-shrub, some forested.
_	Wetland fringe. Characteristics: Wetlands abutting most of the stream channel
_	Habitat for:
	Federally Listed species. Explain findings:
	☐ Fish/spawn areas. Explain findings: .
	Other environmentally-sensitive species. Explain findings:
	Aquatic/wildlife diversity. Explain findings: Good habitat for amphibians. May develop insects when flows and
	smaller fish may inhabit when flows.
Character	ristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
(2) Dl	ical Characteristics

2.

Physical Characteristics:

(a) General Wetland Characteristics:

Properties:

Wetland size: Wetland = 4.0 acres

Wetland type: Paulustrine Emergent and PSS Explain: Wetlands are dominated by sensitive fern, silky dogwood, elderberry, smartweeds, rushes and grasses which have an indicator status of FACW or wetter.

Wetland quality: High do to proximity to waterway and due to source of seeps Explain: Function value for water quality is high because wetlands exist between surrounding agricultural use and stream and serves to trap sediments, nutrients and other pollutants. Seeps also exist in wetlands that serves to supply water to the stream and moderate the effects of droughts. Aquatic diversity is low because it is a head water stream but is an input area of carbon in the form of vegetative matter, that is the base of the food chain in stream continuums. Wildlife diversity is high with evidence of turkey (feathers), deer, and small mammals (scat). Moreover, while on-site, snakes, amphibians and songbirds were observed.

Project wetlands cross or serve as state boundaries. Explain: N/A.

(b) General Flow Relationship with Non-TNW:

Flow is: Intermittent flow Explain: Flows more than half the year but does dry up after extended periods without rain.

Surface flow is: Confined

Characteristics: The surface flow between is typically contained within the stream banks. Flow may come out of the banks during a flood event, but no evidence of this was observed.

Subsurface flow: Yes. Explain findings: At least three seeps were identified by the consultant during his spring visit, two of these seeps were flosing during the Corps September 25 field investigation.

Dye (or other) test performed: **No test was performed**.

(c)	Wetland Adjacency Determination with Non-TNW:					
	☐ Directly abutting					
	☐ Not directly abutting					
	Discrete wetland hydrologic connection. Explain:					
	Ecological connection. Explain:					
	Separated by berm/barrier. Explain: .					
(d)	Proximity (Relationship) to TNW					
	Project wetlands are 2-5 river miles from TNW.					
	Project waters are 2-5 aerial (straight) miles from TNW.					
	Flow is from: Wetland to navigable waters.					
	Estimate approximate location of wetland as within the 100 - 500-year floodplain.					

(ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: When there is standing water on the surface of the wetland the water color is clear however the drainage area for Wetland A consists primarily of agricultural fields, commercial development and roadways. The quality of water draining to this wetland is assumed to be somewhat poor.

Identify specific pollutants, if known: Nutrients, pesticides, and sediments from surrounding agricultural use.

	(iii) Biological Characteristics. Wetland supports (check all that apply):					
	Riparian buffer. Characteristics (type, average width):					
	✓ Vegetation type/percent cover. 100% coverage Explain: Species found within this wetland are primarily emergent					
	and scrub-sbrub hydrophytic species however this wetland also contains some emergent upland vegetation such as					
	goldenrod, which emerges after drier portions of the year.					
	Habitat for:					
	Federally Listed species. Explain findings:					
	Fish/spawn areas. Explain findings:					
	Other environmentally-sensitive species. Explain findings:					
	Aquatic/wildlife diversity. Explain findings: Emergent wetland would provide good habitat for small game and					
	non-game species and amphibians.					
3.	Characteristics of all wetlands adjacent to the tributary (if any) All wetland(s) being considered in the cumulative analysis: 2 Approximately (Wetland = 4.0) acres in total are being considered in the cumulative analysis. For each wetland, specify the following:					
	For each wethand, specify the following.					
	Directly abuts? (Y/N) Size (in acres) Wetland = Yes Directly abuts? (Y/N) Size (in acres)					
	Summarize overall biological, chemical and physical functions being performed: Because the subject wetland system					

Summarize overall biological, chemical and physical functions being performed: Because the subject wetland system is positioned between agricultural use and the stream and has numerous seeps, it has a high water quality functions and serves to supply water in times of drought and recharge groundwater in wetter times. Because the subject wetland system has a permanent outlet, significant areas of erect vegetation and high plant productivity the function value for production export is high. There was a high availability of nesting, resting and feeding habitat in the wetlands and the adjacent uplands. As a result, wildlife value is considered high.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW? Yes, within the project area the wetlands and the unnamed tributary to Little Roaring Creek receiving runoff from agricultural use and roadways therefore both resources have the ability to assimilate floodwaters, pollutants and excess nutrients.
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and
 other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW? Yes, the unnamed
 tributary to Little Roaring Creek provides suitable habitat for macroinvertebrates and smaller warm water fish species,
 when it flows. The wetland and the vegetated riparian corridor provides suitable nesting and rearing habitat for small
 game and non-game species.
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs? Wetland B is situated on both sides of the stream, within the 100 year flood area and has agricultural use right up to one side and is therefore essential for assimilating nutrients prior to entering the stream. The unnamed tributary of Little Roaring Creek is an intermittent watercourse which has the capability to transfer nutrients and organic carbon to downstream foodwebs.
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW? Wetlands A and B have direct surface flow into the unnamed tributary to the unnamed tributary to Little Roaring Creek and this unnamed tributary has a direct surface flow connections to the Susquehanna River therefore these resources are able to impact all ecological characteristics of the TNW.

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain
 findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: This does not
 apply.
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: This does not apply.
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: Does not apply.

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL
	THAT APPLY):

1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: TNWs: linear feet width (ft), Or, acres. Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: The unnamed tributary to Little Roaring Creek is a USGS blue line stream that flows directly into Little Roaring Creek and then the Susquehanna River. It provides good habitat for amphibians and when it flows, smaller finfish and macroinvertebrates. Many of the aquatic insects and smaller fish that will inhabit the stream when flowing are at the base of the food chain and serve not only to process organic material that are put in at the head waters, but also serve as a food source themselves. The wetlands directly abut the unnamed tributary to little Roaring Creek and are near the head of a stream continuum. As a result, this area serves store and desynchronize flood waters. The storage and release of flood waters was observed at two site inspections that occurred during 2007. Without the storage capacity and subsequent filtering of incoming water that this head water wetland provides, untreated road run off and agricultural drainage would pollute downstream reaches and race without any detention down stream. The result would be erosion, stream instability, more pollutant inputs, and higher flood levels to down stream reaches.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters:
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetlands surround the tributary, touch tributary and/or have surface flow directly into tributary.

6

⁸See Footnote # 3.

	Provide acreage estimates for jurisdictional wetlands in the review area: 4.0 acres.							
	5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.						
		Provide acreage estimates for jurisdictional wetlands in the review area:						
	 Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C. 							
		Provide estimates for jurisdictional wetlands in the review area: acres.						
	7.	Impoundments of jurisdictional waters. As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below).						
E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING SUCH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:								
	Identify water body and summarize rationale supporting determination:							
		vide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.						
F.	NO	N-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):						

If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers
Wetland Delineation Manual and/or appropriate Regional Supplements.
Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the
"Migratory Bird Rule" (MBR).
Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:
Other: (explain, if not covered above):

 $^{^{9}}$ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	facto				ew area, where the <u>sole</u> potential basis of jurisdiction is the MBR pecies, use of water for irrigated agriculture), using best profession	nal
		Non-wetland waters (i.e., rivers Lakes/ponds: acres.	s, streams):	linear feet	width (ft).	
		Other non-wetland waters: Wetlands: acres.	acres. List typ	e of aquatic res	esource: .	
		ride acreage estimates for non-juding is required for jurisdiction			ew area that do not meet the "Significant Nexus" standard, where s	ucl
		Non-wetland waters (i.e., rivers Lakes/ponds: acres.		linear feet,	width (ft).	
		Other non-wetland waters: Wetlands: acres.	acres. List typ	pe of aquatic re	esource: .	
SEC	CTIO	N IV: DATA SOURCES.				
A	and : cont	requested, appropriately referen- Maps, plans, plots or plat subm tours are included in the July 2 Data sheets prepared/submitted included in the Wetland Deline Office concurs with data she Office does not concur with Data sheets prepared by the Co Corps navigable waters' study: U.S. Geological Survey Hydrol USGS NHD data. USGS 8 and 12 digit HUC to U.S. Geological Survey map(s) USDA Natural Resources Cons National wetlands inventory in State/Local wetland inventory in FEMA/FIRM maps: 100-year Floodplain Elevation Photographs: Aerial (Name	ce sources below itted by or on be 23 Wetland Deliby or on behalf eation Report. eets/delineation data sheets/delirps: ogic Atlas: maps. Danville Quadervation Service ap(s). map(s): is: (Nation & Date): & Date): Caption and date of it.	half of the application Report of the applicar report. e Soil Survey. Call Geodectic Voned photogra	Citation: Vertical Datum of 1929) aphs are included inWetland Delineation Report.	
	\boxtimes	Other information (please speci	ny).Site iiispect	ion by Corps (on September 24, 2007.	
_						

B. ADDITIONAL COMMENTS TO SUPPORT JD: .